


LX Hausys Interior Film

Ever since our first steps 60 years ago, LX has always committed to being "the first." The customer comes first and then LX- we will continuously keep that spirit in mind.



What is Interior Film

A self-adhesive architectural film in various colors and designs for interior decorations



Basic Structure

Various patterns & colors

New material suggestion to make up the spaces.

Excellent design for commercial space renovation



Application


LX Hausys Interior film



Furniture



Door



Wall



Ceiling



Essential Elements of Interior Film



Fire Resistance

Global Fire Resistance Certification
IMO(Module B&D), Europe(CE, B1), USA,
China.



USCG/IMO




Build Ability

No more air bubbles during installation
Quick and easy application on flat and
irregular surfaces



Eco Friendly


LX Hausys uses Heavy Metal free
and 100% phthalate free plasticizers.






Fire Resistance Certification


LX Hausys Interior film




No more Air-bubbles during installation



Independent removal work for the bubble removal



It takes the complaint and time associated with the bubble removal



5. Product line up

Fire rating	Design	Catergy	Pattern	Thickness x Width	Film Thickess without adhesive	Length/Roll	No. of patterns
Fire retardant	Solid	HighGloss	GM, GS	0.34mm x 1,220mm	0.20~0.26mm	30m	3
		Solid	RS, RE, RB, RG	0.42mm x 1,220mm	0.16~0.27mm	50m	117
		Premium solid	SM	0.42mm x 1,220mm	0.16~0.27mm	50m	8
		Solid Fabric	SF	0.42mm x 1,220mm	0.16~0.27mm	30m	10
	Metal	Metal	MS, RP	0.42mm x 1,220mm	0.16~0.27mm	50m	20
		Premium Metal	PM	0,40mm x 1,220mm	0.16~0.27mm	50m	10
	Wood	Classic Wood	PW	0.42mm x 1,220mm	0.20~0.36mm	30m	40
		Premium Wood	NW	0.42mm x 1,220mm	0.18~0.36mm	50m	63
		Big Wood	BW	0.42mm x 1,220mm	0.18~0.36mm	50m	15
		Wood	CW, DW, FW, SW	0.42mm x 1,220mm	0.16~0.27mm	50m	141
	Abstract	Nature Stone	NS	0.42mm x 1,220mm	0.18~0.36mm	30m	2
		Elreina (Stone, Fabric, Leather)	EL, EV	0.42mm x 1,220mm	0.16~0.34mm	50m	8
		Big Marble	BM	0.42mm x 1,220mm	0.16~0.27mm	50m	12
		Abstract (Stone,Marble, Fabric,Lether)	ML, RM	0.42mm x 1,220mm	0.16~0.27mm	50m	27
Non-fire retardant	Solid	Solid	ES,ESP,ESH,EGM	0.38mm x 1,220mm	0.15~0.26mm	50m	117
	Wood	Wood	EW	0.38mm x 1,220mm	0.15~0.26mm	50m	141
	Abstract	Premium Wood	NE	0.42mm x 1,220mm	0.18~0.36mm	50m	63
	Outdoor	Outdoor	UM, UP, US	0.38mm x 1,220mm	0.15~0.26mm	30m	10
Primer	Water based	PM-04		1kg, 3kg			

※Release paper : 0.14mm ± 10%

Product information

General Information



With special self-adhesive treatment, BENIF is easy to apply not only on flat surface but also on irregular surface, saving time and cost.



- Permanent & Yellow Adhesive (Flame Retardant)
- Permanent & Clear Adhesive (Non Flame Retardant)



- Single Side PE coated release liner (Air-free)
- PET Liner (GS/GM)



- 2 years (Shelf life)



Applications (Type of Substrate)

- | | |
|---------------------------------------------------------|------------------------------------------------------------------|
| <input checked="" type="checkbox"/> MDF | <input checked="" type="checkbox"/> Calcium silicate board |
| <input checked="" type="checkbox"/> Veneer | <input type="checkbox"/> PC |
| <input checked="" type="checkbox"/> Stainless Steel | <input type="checkbox"/> Acryl |
| <input checked="" type="checkbox"/> Aluminium | <input type="checkbox"/> PEPP |
| <input checked="" type="checkbox"/> Iron, painted board | <input checked="" type="checkbox"/> Melamine - baked steel board |



Roll Sizes

- | |
|--------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> 1 22cm (48in) X 50M/R |
| <input type="checkbox"/> 1 22cm (48in) X 30M/R
(GS/GM/PW/NS/US/UM/UP/LE/PL) |

Application	Warranty Period
Interior Applications with no direct UV exposure / heat & moisture free areas	3 years

Expected Performance Life

Expected Performance Life is 10 years for indoor, vertical application with no direct UV exposure.



Conrad Seoul, Korea

Enforcement design by Eunmin, Film installation by Jungsan, Color : NW008



Conrad Seoul, Korea

Enforcement design by Eunmin, Film installation by Jungsan, Color : NW008



U-Plus, Korea

Interior design by Kesson, Film installation by Markpro, Color : NW006



MERITZ Tower, Korea



Incheon Airport, Korea



AEON Mall, Jakarta

